

2024 Freighter Freez-R

Details

Price:	POA
Dealer Stock #:	131378 & 131379
New / Used:	Dealer New



Seller Details



Name:	Maxitrans South Australia
Phone:	(08) 7100 1346
Dealer License No:	MVD254544
State:	SA
Suburb:	Wingfield
Postcode:	5013

Sales

Representatives

Kym Penhall
Gary Lines
Joe Lalli
Mike Baas

Description

New 2024 Freighter FREEZ-R 34 Pallet Refrigerated B-Double Van Set Freez-R is expertly designed to deliver industry leading thermal performance, keeping your temperature sensitive freight at the optimal temperature no matter the journey. Backed by an industry leading national dealer and service support network, Freez-R delivers exceptional thermal performance and reliability through the combination of engineered Ferroplast technology insulation, with a proven locally manufactured chassis design. ■ Constructed from Ferroplast technology, comprising of a high performing polyurethane hard foam core with a coated metal skin, ensures zero water ingress and crack resistance ■ The combination of high thermal performance, with enhanced thermal breaks, achieves significant fuel savings and reduced fridge operating costs ■ The inclusion of the 4-lip door seal keeps cold air inside the trailer, adding to the overall thermal performance ■ Push-to-roof double loader system eliminates the need to move bars in and out of the trailer, saving time and improving operator safety, while the recessed design maximises internal width space and reduces the chance of accidental forklift damage ■ TrailerConnect® telematics allows operators to access real time information about the trailer, delivering load performance management and maintenance planning capability

Specifications: Suspension & Axles: HT Hendrickson airbag suspension Fuwa parallel bearing axles with 10/285 PCD Knorr-Bremse EBS system with raise/lower/reset valves Wheels & Tyres: Polished aluminium outer wheels Machine-finished aluminium inner wheels Firestone 11R 22.5 tyres

Trailer Features: Hydraulic roll-back on lead trailer Stainless steel toolbox Polished aluminium water tank Pull-out step on tag trailer Two-speed landing legs with compensating feet Red plastic radius guards (lead trailer) Polished aluminium 1/4 guards (front & rear suspension on tag trailer) Stainless steel door hardware

Body Construction: Ferroplast Technology: Constructed with a high-performance polyurethane foam core and coated metal skin Zero water ingress Crack-resistant Enhanced thermal breaks for optimal insulation Significant fuel savings and reduced fridge operating costs

Thermal Features: 4-lip door seal to retain cold air Aluminium circulation wall

Loading Efficiency: Push-to-roof double loader system: No need to manually move bars Increases operator safety Maximizes internal space Reduces risk of forklift damage

Technology & Telematics: TrailerConnect® Telematics: Real-time trailer data Load performance tracking Maintenance planning Includes 12-month Pro subscription

Dimensions: Overall Height: 4,300 mm Internal Length: Lead: 7,205 mm Tag: 13,240 mm Internal Height: Lead: 2,650 mm Tag: 2,700 mm Internal Width: 2,407 mm

Additional Options & Provisions: Dost Double Loader system Hella LED lighting Provision for Dynamic Ramp Protection (DRP) Choice of preferred body-mounted refrigeration plant

Specifications: Suspension & Axles: HT Hendrickson airbag suspension Fuwa parallel bearing axles with 10/285 PCD Knorr-Bremse EBS system with raise/lower/reset valves Wheels & Tyres: Polished aluminium outer wheels Machine-finished aluminium inner wheels Firestone 11R 22.5 tyres

Trailer Features: Hydraulic roll-back on lead trailer Stainless steel toolbox Polished aluminium water tank Pull-out step on tag trailer Two-speed landing legs with compensating feet Red plastic radius guards (lead trailer) Polished aluminium 1/4 guards (front & rear suspension on tag trailer) Stainless steel door hardware

Body Construction: Ferroplast Technology: Constructed with a high-performance polyurethane foam core and coated metal skin Zero water ingress Crack-resistant Enhanced thermal breaks for optimal insulation Significant fuel savings and reduced fridge operating costs

Thermal Features: 4-lip door seal to retain cold air Aluminium circulation wall

Loading Efficiency: Push-to-roof double loader system: No need to manually move bars Increases operator safety Maximizes internal space Reduces risk of forklift damage

Technology & Telematics: TrailerConnect® Telematics: Real-time trailer data Load performance tracking Maintenance planning Includes 12-month Pro subscription

Dimensions: Overall Height: 4,300 mm Internal Length: Lead: 7,205 mm Tag: 13,240 mm Internal Height: Lead: 2,650 mm Tag: 2,700 mm Internal Width: 2,407 mm

Additional Options & Provisions: Dost Double Loader system Hella LED lighting Provision for Dynamic Ramp Protection (DRP) Choice of preferred body-mounted refrigeration plant

Product Details

Type	Dealer New
Year	2024
Make	Freightier
Model	Freez-R
Registration Date	N/A

Further Details

Serial Number	131378 & 131379
Brakes	Drum
Condition	Excellent
Type Front	...
Type Rear	Tubeless



