

# UBTECH UBT45S Silence Excavator Hydraulic Rock Breaker

## Details

|                        |   |
|------------------------|---|
| <b>Price:</b>          | \$10,800 Ex. GST                                |
| <b>Dealer Stock #:</b> | UBT45S Silence Excavator Hydraulic Rock Breaker |
| <b>New / Used:</b>     | Dealer New                                      |



## Seller Details



|                  |                              |
|------------------|------------------------------|
| <b>Name:</b>     | Southern Tool +<br>Equipment |
| <b>Phone:</b>    | (07) 3177 7347               |
| <b>State:</b>    | QLD                          |
| <b>Suburb:</b>   | DARRA                        |
| <b>Postcode:</b> | 4076                         |

## Description

UBTECH UBT45S Silence Excavator Hydraulic Rock Breaker ATTUBT Hydraulic Hammer Suit 6-11 Tonne Excavators-----ONLY \$10,800.00 + GST UBTECH Hammers are manufactured in South Korea as with hammers available on the market today. PROVEN QUALITY AND VALUE FOR MONEY. 5 Years Warranty on Main Frame & 12 Months Factory Parts Warranty. \*Factory warranty does not cover everyday wear parts, consumables or everyday maintenance issues. UBTECH Hammers are the heaviest in the market we have seen. When comparing weights of hammers it is important to consider whether the head bracket, hoses and moil are included! All hammers are sold WORK READY with no surprise costs when it comes to fitting your hammer to your machine, come complete with moil, hoses and head bracket installed. Hydraulic hoses supplied standard with screw-in fittings. Simply attach to the excavator and begin work with your breaker pre-gassed, flow and pressure tested, and fully adjusted to suit your machine.

----- UBT45S, Suit 6-11 Tonne excavators. Hitachi EX100 EX110 UH04 UH043 EX80 EX90 . Caterpillar 446B 307 308 931 . Kobelco SK60MX-III 80CS SK100 K904 . Komatsu PC90 PW95 . CASE WX90 695 CS75 621D . VOLVO 612 616B . JCB 4CX 416HT 3C1400 3C1700 . DAEWOO S80 DH80W . HYUNDAI R95W-3 . Gross Weight-----500kg (without Head Bracket Moil Pins Hoses) . Required Oil Flow-----50 to 100L min . Operating Pressure-----130 to 160 bar (1885 to 2320 psi) . Setting Pressure-----195 bar (2830 psi) . Tool Shank Diameter----85mm (3.34 inches) . Impact Rate-----400 to 800 bpm . Hose Diameter-----85 mm (3.34 inch). All units come complete with: . 1 x Mounting Bracket . 2 x Mounting Pins . 2 x Hydraulic Hoses . 1 x Tool Kit . 1 x Recharge Kit . 1 x Full Seal Kit . 1 x Chisel Attachment . 1 x Moil Attachment

## Product Details

|              |            |
|--------------|------------|
| Price        | \$10,800   |
| Type         | Dealer New |
| Model        | UBT45S     |
| Registration | N/A        |
| Date         |            |

