

# Freightmaster 45' Tri Drop Deck Road Train Lead

## Details

Price: POA

Dealer Stock #:

New / Used: Dealer New



## Seller Details



Name: Freightmaster Semi Trailers

Phone: (08) 7100 1908

State: SA

Suburb: Burton

Postcode: 5110

## Description

Axles: K-Hitch Axles 285pcd 10-Stud Hubs – Enclosed S-Cams – Grease filled Suspension: K-Hitch 9’1” 8 Leaf Spring Suspension , Road Train Lead Trailer , EBS Brake system Road Train Brake Kit – Push/Pull Couplings with Yard Release Button + EBS Cable to Rear Main Beam: 100 x 16mm Top Flange 100 x 20mm Bottom Flange 5mm Webb, 10mm Goose Neck Coaming: 125mm TFB with 100mm TFB ‘X’ members @ 450mm Centres Floor: 3mm Chequer Plate with 9 Floor Runners – 10mm Floor Drop Skid Plate: 10mm thick with Adjustable 50mm Road Train rated King Pin Set @ 1400mm Toolbox: Two (2) Steel Lockable Toolboxes 1200 x 450 x 650 Tyre Carrier: Dual bolt on to underside of Trailer Water Tank: One (1) Litre Plastic with Soap Bottle Lights: All HELLA L.E.D. Lights 7 x L.E.D. Clearance Lights per side with Centre Turning Flasher 2 x L.E.D. Jumbo’s at Rear 2 x L.E.D. Number Plate Lights 6mm Wiring Legs: JOST A530 Two Speed Legs with Pad Feet Gates: Front & Rear Load Racks only Winches: (11) Sliding Winches in track (13m Straps Bottom Deck) Ringfeder: Ringfeder Bracket with Air & Electrical to rear (50mm Ringfeder Coupling) Twistlocks: Full set to suit 1x20’, 2x20’ & 1x40’ Containers with Stand & Carriers Tyres: 255/70 Double Coin RT500 Tubeless Tyres on 13 x Steel 285pcd 10-Stud Tubeless Rims Paint: Sandblasted & Painted in 2-Pak: Red with Silver Chassis Sundries: 7” Rear Channel with Rope Rail Fold Down Road Train Signs

## Product Details

Type	Dealer New
Model	Road Train Lead
Registration	N/A
Date	

## Further Details

Axle	-
Configuration	
ATM	50
Tare	
Suspension	Spring
Wheels	
Axles	10-stud
Hubmeter	
Brakes	Drum
Dimensions / Length	13.7m
Options	
Colour	Red
Coupling	50mm Ringfeder
Colour	
Tyre - Rear	255/70
Tyre - Front	
Lighting	LED
Flat-Top	
Features	
Pallet Spacers	
Tarps	
Options	

